

Introducing Percentages Starters: key vocabulary

conversion	a change of a value from one form, such as a fraction, to another, such as a percentage.
convert	to change a number from one form into another, such as a mixed number into an improper fraction
decimal	a number written with a point, where the digits after the point are parts of a whole
decimal place	the position of a digit after the decimal point, such as tenths or hundredths
denominator	the number below the line in a fraction, showing how many equal parts the whole is split into
fraction	a number written as one whole split into equal parts, with a number of those parts taken
hundredths	the value of one part when a whole is divided into one hundred equal parts.
numerator	the number above the line in a fraction, showing how many equal parts are taken
per cent	for every hundred; a number out of one hundred.
percentage	a number of parts out of a hundred
product	the answer when two or more numbers are multiplied
quarter	one of four equal parts of one.
round	to replace a number with a nearby simpler one
simplest form	a fraction written with the smallest possible numbers above and below the line.
simplify	to write something in its smallest or plainest form without changing its value
sum	the answer when numbers are added together
tenths	the value of one part when a whole is divided into ten equal parts.

Match the word to its meaning

conversion	a number written with a point, where the digits after the point are parts of a whole
convert	the value of one part when a whole is divided into one hundred equal parts.
decimal	the position of a digit after the decimal point, such as tenths or hundredths
decimal place	the number above the line in a fraction, showing how many equal parts are taken
denominator	to change a number from one form into another, such as a mixed number into an improper fraction
fraction	a change of a value from one form, such as a fraction, to another, such as a percentage.
hundredths	the number below the line in a fraction, showing how many equal parts the whole is split into
numerator	the answer when two or more numbers are multiplied
per cent	one of four equal parts of one.
percentage	a number written as one whole split into equal parts, with a number of those parts taken
product	to replace a number with a nearby simpler one
quarter	the answer when numbers are added together
round	a fraction written with the smallest possible numbers above and below the line.
simplest form	for every hundred; a number out of one hundred.
simplify	a number of parts out of a hundred
sum	the value of one part when a whole is divided into ten equal parts.
tenths	to write something in its smallest or plainest form without changing its value

Match the word to its meaning: answers

conversion		a number written with a point, where the digits after the point are parts of a whole
convert		the value of one part when a whole is divided into one hundred equal parts.
decimal		the position of a digit after the decimal point, such as tenths or hundredths
decimal place		the number above the line in a fraction, showing how many equal parts are taken
denominator		to change a number from one form into another, such as a mixed number into an improper fraction
fraction		a change of a value from one form, such as a fraction, to another, such as a percentage.
hundredths		the number below the line in a fraction, showing how many equal parts the whole is split into
numerator		the answer when two or more numbers are multiplied
per cent		one of four equal parts of one.
percentage		a number written as one whole split into equal parts, with a number of those parts taken
product		to replace a number with a nearby simpler one
quarter		the answer when numbers are added together
round		a fraction written with the smallest possible numbers above and below the line.
simplest form		for every hundred; a number out of one hundred.
simplify		a number of parts out of a hundred
sum		the value of one part when a whole is divided into ten equal parts.
tenths		to write something in its smallest or plainest form without changing its value